## 国際学会発表

Year	Congress	Title
2024	AHA EPI/Lifestyle Scientific Sessions	Pre-stroke use of DPP4 inhibitors in elderly patients may reduce neurological severity at the onset of stroke: a retrospective cohort study
2024	AHA EPI/Lifestyle Scientific Sessions	Pre-stroke use of loop diuretics in elderly patients aggravates renal function at the onset of acute stroke: a propensity-score matched cohort study
2024	ASA International Stroke Conference	Pre-stroke use of blood-brain barrier crossing angiotensin receptors blockers in elderly patients mitigates neurological severity at the onset of acute stroke
2024	European Congress of Radiology (ECR)	Ipsilateral MCA low signal intensity on MRA caused by severe carotid stenosis is associated with elevated blood-sampling cerebral oxygen extraction fraction
2023	European Stroke Organization Conference (ESOC)	Pre-Stroke Statin Use Is Associated with Mild Neurological Deficits at the Onset of Acute Ischemic Stroke
2023	AHA EPI/Lifestyle Scientific Sessions	Highly Purified Eicosapentaenoic Acid Use Can Reduce Neurological Severity at the Onset of Ischemic Stroke in Patients With Hiyperlipidemia
2023	European Congress of Radiology (ECR)	Cut-out towne-view whole-brain 320 row four-dimensional computed tomography angiography for assessing the anterior intracranial collateral status
2022	AHA Scientific Sessions	Pre-stroke Statin Use Is Associated With Mild Neurological Symptoms At The Onset Of Acute Ischemic Stroke
2022	ASA International Stroke Conference	Signal Intensity in the Middle Cerebral Artery as a Practical and Feasible Index of Hemodynamic Insufficiency Due to Carotid Artery Stenosis
2022	ASA International Stroke Conference	Sodium-glucose Cotransporter 2 Inhibitors Coupled With 40% Carbohydrate Diet Improve Hyperglycemia Safely And Soon In An Acute Stroke Stage
2022	ASA International Stroke Conference	The Frequency And Associated Factors Of Deep Vein Thrombosis At Admission Of Acute Stroke
2022	European Congress of Radiology (ECR)	Reduced Magnetic Resonance Angiography Signal Intensity in the Middle Cerebral Artery Ipsilateral to Severe Carotid Stenosis may be a Practical Index of High Oxygen Extraction Fraction
2022	16th World Federation of Interventional and Therapeutic Neuroradiology (WFITN)	Reduced Magnetic Resonance Angiography Signal Intensity in the Middle Cerebral Artery Ipsilateral to Severe Carotid Stenosis may be a Practical Index of High Oxygen Extraction Fraction
2021	AHA EPI/Lifestyle Scientific Sessions	Comparison Of Vascular Risk Factors And Serum Fatty Acids At Admission Between Intracerebral Hemorrahage And Acute Ischemic Stroke
2021	AHA Scientific Sessions	Deep Vein Thrombosis Frequency at Acute Stroke Admission
2021	ASA International stroke Conference	Signal Intensity in the Middle Cerebral Artery as a Practical and Feasible Index of Hemodynamic Insufficiency Due to Carotid Artery Stenosis
2021	European Congress of Radiology(ECR)	Collateral status coupled with the upper-limit of the onset-to-reperfusion time by dynamic axial computed tomographic angiography for mechanical thrombectomy
2020	AHA EPI/Lifestyle Scientific Sessions	Prevalence and Independence Metabolic Factors of Non-alcoholic Fatty Liver Disease in Acute Stroke Patients Aged 40-79 Years
2020	AHA EPI/Lifestyle Scientific Sessions	Serum fatty acids Concentrations and Compositions, Lipids Concentrations and Their Correlation in Acute Ischemic Stroke Patients Aged 50 Years or Older
2020	Amrican Society of Neuroradiology (ASNR)	Rapid Evaluation of Collateral Development by Axial Time-Sequential CT Angiogram Covering Only 4-cm Width With A Focus On The Middle Cerebral Artery To Identify Candidates Of Thrombectomy
2020	ASA International Stroke Conference	Effect of Chocolate Containing 86% Cacao and Much Polyphenol to Improve level of Alertness in Acute Stroke Patients
2020	ASA International Stroke Conference	Incidence of Deep Venous Thrombosis Following Endovascular Revascularization via the Femoral Artery Due to Acute Ischemic Stroke
2020	ASA International Stroke Conference	Prevalence and Associated Metabolic Factors of Non-Alcoholic Fatty Liver Disease in Middle and Young-Old-Aged Acute Stroke Patients
2020	ASA International Stroke Conference	Rapid and Appropriate Evaluation of Collateral Development by Four- Dimensional CT Angiography Covering Only 4-cm Width With a Focus on the Intracranial Internal Carotid Artery and the Middle Cerebral Artery to Identify Candidates of Thrombectomy
2020	ASA International Stroke Conference	Safety and Effect of Medium-Chain Triglycerides Oil to Prevent Deterioration of Nutritional Status in Acute Stroke Patients With Sever Renal Dysfunction
2020	ASA International Stroke Conference	Significant Factors for Early Independent Toilet Activities in Acute Stroke Patients
2020	ASA International Stroke Conference	Significant Factors of Early Independent Gait in Acute Stroke Patients

		Serum Fatty Acids Concentrations and Compositions, Lipid Concentration
2020	European Atherosclerosis Society (EAS)	and Their Correlation In Acute Ischemic Stroke Patients Aged 50 years or Older
2020	European Congress of Radiology (ECR)	Appropriate Head Position for Four-Dimensional Axial CT Angiography Using an 80-row CT Scanner with 4cm-Coverage for Acute Ischemic Stroe Thrombectomy
2020	European Congress of Radiology (ECR)	Prevalence and independent predictors of deep vein thrombosis on admission in acute stroke patients
2020	European Congress of Radiology (ECR)	Rapid Evaluation of Collateral Development by Time Sequential CT Angiogrphy Covering 4-cm Width To Identify Candidates Of Thrombectomy
2020	European Stroke Organization Conference (ESOC)	Rapid Evaluation Of Collateral Development By Time Sequential CT Angiography Covering 4-cm Width To identify Cardiodates Of Thrombectomy
2020	European Stroke Organization Conference (ESOC)	Reconstructed coronal images by post-contrast computed tomography scanning to identify candidates for thrombectomy of the vertebro-basilar artery occlusion in acute ischemic stroke
2019	11th European Society of Minimally Invasive Neurological Therapy (ESMINT)	Novel rapid imaging protocol of the bilateral MCA territories for thrombectomy in acute ishcemic stroke by old-model 320-row area detector CT
2019	European Stroke Organization Conference (ESOC)	CT findings for thrombectomy of the vertebro-basilar artery occlusion in acute ischemic stroke
2019	European Stroke Organization Conference (ESOC)	Prevention of Early DVT Following Hospitalization due to Stroke
2019	ASA International stroke Conference	A Novel and Logical Strategy for Prevention of Hyperperfusion Syndrome; Intentional Residual Stenosis After Carotid Artery Stenting of an Extremely High-Grade Stenosis
2019	ASA International stroke Conference	Low Cerebral Blood Flow Grade Based on Dynamic Magnetic Resonance Imaging Predicts Neurological Deterioration in Patients Treated Without Thrombectomy Because of Low NIHSS Score Despite the Carotid or Middle Cerebral Artery Occlusion
2019	ASA International stroke Conference	Prevalence And Associated Metabolic Factors Of Non-alcoholic Fatty Liver Disease In Acute Stroke Patients Aged 40-79 Years
2019	ASA International stroke Conference	Rapid Improvement of malnutrition Following Treatment by Leucine- Enhanced Branched Chain Amino Acid in Severe Acute Stroke Patients Fed With Enteral Nutrition
2018	European Stroke Organization Conference (ESOC)	Safe Stenting of Vulnerable Carotid Artery Lesions Showing High-Signal in MR Black Blood Images
2018	European Stroke Organization Conference (ESOC)	Serum Fatty Acids' Level and Stroke Subtypes in Middle - Or Old-Aged Acute Stroke Patients
2018	AHA International Stroke Conference	Effectiveness and Safety of Luseogliflozin, Sodium-Glucose Cotranspoter2 Inhibitor, to Treat Hyperglycemia in an Acute Stroke Stage
2018	AHA International Stroke Conference	Objective Collateral Assessment to Identify Patients Suffering From Distal Middle Cerebral Artery Occlusion Refractory to Intravenous Tissue Plasminogen Activator Therapy
2018	Amrican Society of Neuroradiology (ASNR)	Preventive Effect of Residual Stenosis on Hyperperfusion Syndrome after Carotid Artery Stenting not Followed by Balloon Dilatation
2018	Amrican Society of Neuroradiology (ASNR)	Spontaneous Dilatation of Stents After Carotid Artery Stenting, CAS, without Post-CAS Balloon Dilatation for High-signal Lesions on MR Black-blood Images
2018	European Society of Neuroradiology (ESNR)	Rapid Imagin Protocol of the Bilateral MCA Territories for Thrombectomy in Acute Ischemic Stroke by 80-row Area Detector CT
2018	European Stroke Organization Conference (ESOC)	Determinants of Angiographic Outcome After Stenting for Atherosclerotic intracranial Arteries
2018	European Stroke Organization Conference (ESOC)	Anatomical Features of the Vertebral Artery for Transbrachial Approach for Emergency Thrombectomy in the Ischemic Posterior Circulation Stroke
2018	European Stroke Organization Conference (ESOC)	Clinical Characteristics, Collateral Status and Long-Term Outcome in Late Presenting Strokes Undergoing Neurointervention
2018	Radiological Society of North America (RSNA)	Rapid Imaging Protocol of the Bilateral MCA Territories for Thrombectomy in Acute Ischemic Stroke by 80-Row Area Detector CT
2018	World Stroke Congress (WSC)	Anatomical features of the vertebral artery for transbrachial approach for emergency thrombectomy in the ischemic posterior circulation stroke
2018	XXI Symposium Neuroradiologicum	Probable preventive effect of residual stenosis on hyperperfusion syndrome after carotid artery stenting without post-ballon dilation in patients with ana extremely high-grade stenosis
		Possible utility of EPA & DHA, BCAA, MCT contained in enteral formula to
2017	26th European Stroke Conference (ESC)	prevent early energy malnutrition in severe acute stroke patients treated with enteral nutrition

2017	26th European Stroke Conference (ESC)	Unsaturated Fatty Acids with Association with Elevation of Malondialdehyde- modified Low-Density Lipoprotein (MDA-LDL) as a Marker of Oxidized Low- Density Lipoprotein
2017	European Stroke Organization Conference (ESOC)	Effectiveness and safety of sodium-glucose cotransporter2 inhibitors to manage hyperglycemia in acute stroke patients
2017	European Stroke Organization Conference (ESOC)	Influence of statins on LDL- and HDL-cholesterol and plasma fatty acids in near and old elderly Japanese stroke patients
2017	European Stroke Organization Conference (ESOC)	Level of Consciousness as a Feasible Determinant of Acute Neuroendovascular Thrombectomy in the Anterior Cerebral Circulation
2017	European Stroke Organization Conference (ESOC)	Possible utility of EPA & DHA, BCAA, MCT contained in enteral formula to prevent early energy malnutrition in severe acute stroke patients treated with enteral nutrition
2017	European Stroke Organization Conference (ESOC)	Utility of transbrachial access for carotid artery stenting
2017	Amrican Society of Neuroradiology (ASNR)	Benefits of Transbrachial Access For Carotid Artery Stenting with Guide- Sheaths Specifically Designed for Transbrachial Carotid Cannulation
2017	Amrican Society of Neuroradiology (ASNR)	MR perfusion to Identify Candidates More Suitable to Endovascular Recanalization Therapy Than iv-tPA in MCA Occlusion
2017	European Congress of Radiology (ECR)	MR perfusion to Identify Candidates More Suitable to Endovascular Recanalization Therapy Than iv-tPA in MCA Occlusion
2017	Society of NeuroInterventional Surgery (SNIS)	Elective carotid artery stenting for high signal lesions on MR black blood images
2016	10th World Stroke Congress (WSC)	Angiographic anatomical features for transbrachial carotid cannulation of a balloon-guide catheter
2016	13th International Symposium on Thrombolysis Thrombectomy and Acute Stroke Therapy	Anticoagulant's character: Hemorrhagic vs. ischemic stroke
2016	13th International Symposium on Thrombolysis Thrombectomy and Acute Stroke Therapy	Clinical outcome of weekend and nighttime admitted patients due to acute ischemic stroke
2016	13th International Symposium on Thrombolysis Thrombectomy and Acute Stroke Therapy	What is the right dose in patients who experienced cerebral hemorrhage under direct oral anticoagulant therapy?
2016	13th Society of NeuroInterventional Surgery (SNIS)	Angiographic Anatomical Features for Transbrachial Carotid Cannulation of a Balloon-Guide Catheter
2016	15th Asian and Oceanian Congress of Neurology	Comparison of simple CBF grades based on CT perfusion with multiphase CT angiography
2016	ASA International stroke Conference	Long-term Survival According to CBF Grade of MR Perfusion in Acute Stroke Patients With the Carotid Artery Occlusion
2016	ASA International stroke Conference	Relationship Between Neurological Severity And CBF Grade Of MR Perfusion In Acute Stroke Patients With The Carotid Artery Occlusion
2016	ASA International stroke Conference	Utility of The Sheath Guide Specifically Designed For Transbrachial Approach In Endovascular Treatment Of Neurovascular Disease
2016	Asia Pacific Stroke Conference	Long-Term Outcome Following Lesion-Specific Wingspan-Stent Treatment for Intracranial Arterial Diseases
2016	European Association of Neurosurgical Societies (EANS)	Utility of Transbrachial Coil Embolization of Cerebral Aneurysms in the Anterior Cerebral Circulation
2016	European Stroke Organization Conference (ESOC)	Comparison of simple CBF grades based on CT perfusion with multiphase CT angiography
2016	European Stroke Organization Conference (ESOC)	Nutritional status and N-3 fatty acids in very elderly Japanese stroke patients aged 75 or older
2016	European Stroke Organization Conference (ESOC)	Real incidence of cardiogenic stroke in patients with non-valvular atrial fibrillation before and after appearance of new oral anticoagulants
2016	European Stroke Organization Conference (ESOC)	Relationship between time dependency of DWI-ASPECTS and CBF grade of MR perfusion in acute stroke patients with carotid artery occlusion
2016	European Stroke Organization Conference (ESOC)	Transbrachial endovacular clot removal therapy using balloon guide catheter for acute ischemic stroke
2016	European Stroke Organization Conference (ESOC)	Transbrachial guide-sheath specifically designed for direct common carotid artery cannulation in common carotid artery stenting
2016	8th European Congress on Paediatric Anaesthesia	Utility of Transbrachial Coil Embolization of Cerebral Aneurysms in the Anterior Cerebral Circulation
2015	12th Society of neuroInterventional Surgery (SNIS)	Utilization of Blood Smapling Global Oxygen Extraction Fraction to Anticipate Cerebral Hyperperfusion Syndrome Following Elective Carotid Artery Stenting
2015	53rd Amrican Society of Neuroradiology (ASNR)	Simple CBF grading based on MR perfusion to anticipate long-term clinical outcome in severe stroke patients due to the carotid artery occlusion
2015	53rd Amrican Society of Neuroradiology (ASNR)	Simple penumbra map according to CBF grades based on CT perfusion in stroke patients due to the middle cerebral artery occlusion

	Ford American Conintrat Norman dialogue	
2015	53rd Amrican Society of Neuroradiology (ASNR)	Spontaneous Dilatation of Stents at Three Months after Carotid Artery Stenting without post-CAS Balloon Dilatation
2015	53rd Amrican Society of Neuroradiology (ASNR)	Utility of the Transbrachial Guide-sheath Specifically Designed for Direct Common Carotid Artery Cannulation in Common Carotid Artery Stenting
2015	53rd Amrican Society of Neuroradiology (ASNR)	Utilization of CT perfusion to find impairment of vasodilatory capacity before carotid artery stenting
2015	European Association of Neurosurgical Societies (EANS)	Utilization of blood sampling global oxygen extraction fraction to anticipate cerebral hyperperfusion syndrome following elective carotid artery stenting
2015	European Congress of Radiology (ECR)	Simple CBF grading based on MR perfusion to anticipate long-term clinical outcome in severe stroke patients due to the carotid artery occlusion
2015	European Congress of Radiology (ECR)	Simple penumbra map according to CBF grades based on CT perfusion in stroke patients due to the middle cerebral artery occlusion
2015	European Society of Neuroradiology (ESNR)	Successful intracranial vertebral artery stenting for at least 6-month-old chronic long complete occlusion with a reverse flow technique a case report
2015	European Stroke Conference (ESC)	Relationship between parameters of CT perfusion and increase of blood sampling OEF in patients undergoing carotid artery stenting
2015	European Stroke Conference (ESC)	Safety and effect of dual antiplatelet therapy for emergency endovascular coiling of ruptured cerebral aneurysms
2015	European Stroke Conference (ESC)	Spontaneous dilatation of stents at three months after carotid artery stenting without post-CAS balloon dilatation
2015	European Stroke Conference (ESC)	Utility of blood sampling global cerebral oxygen extraction fraction to anticipate cerebral hyperperfusion syndrome following carotid artery stenting
2015	World Federation of Interventional and Therapeutic Neuroradiology (WFITN)	Relationship between neurological severity and CBF grade of MR perfusion in acute stroke patients with the carotid artery occlusion
2015	World Federation of Interventional and Therapeutic Neuroradiology (WFITN)	Successful intracranial vertebral artery stenting for at least 6-month-old chronic long complete occlusion with a reverse flow technique a case report
2015	XXVIth International Symposium on Cerebral Blood Flow, Metabolism and Function & XIIth International Conference	CT perfusion as an index to anticipate increase of blood sampling OEF
2014	2nd International Conference on Heart & Brain (ICHB)	Transbrachial Neurointervention as a Routine Way
2014	52nd Amrican Society of Neuroradiology (ASNR)	Feasibility of the transbrachial guide-sheath specifically designed for direct common carotid artery cannulation in carotid artery stenting
2014	52nd Amrican Society of Neuroradiology (ASNR)	Long-term survival probability following conservative therapy according to simple time-intensity curve's types of perfusion-weighted images in severe stroke patients due to the ipsilateral carotid-middle cerebral artery occlusion
2014	52nd Amrican Society of Neuroradiology (ASNR)	Rapid imaging protocol before reperfusion therapy in Acute Stroke by Area Detector CT
2014	52nd Amrican Society of Neuroradiology (ASNR)	Transbrachial approach as a first access route for neurointervention
2014	52nd Amrican Society of Neuroradiology (ASNR)	Usefulness of acute stroke imaging with wide area detector CT before endovascular reperfusion therapy in the anterior cerebral circulation
2014	52nd Amrican Society of Neuroradiology (ASNR)	Variables of 123I-IMP SPECT by graph plot method relating to elevation of blood sampling global oxygen extraction fraction in patients with a high-grade carotid stenosis
2014	AHA International Stroke Conference	Impaired Brachial Flow-mediated Dilatation in Patients With Symptomatic Nontraumatic Intracranial Arterial Dissections
2014	American Association of Neurological Surgeons (AANS)	Long-term survival probability without acute reperfusion therapy according to simple time-intensity curves of perfusion-weighted images in stroke patients due to the carotid-middle cerebral artery occlusion
2014	American Association of Neurological Surgeons (AANS)	Transbrachial approach as a first access route for neurointervention
2014	Computer assisted radiology and surgery (CARS) 2014	Anatomical features of the vertebral artery for transbrachial direct cannulation of a guiding catheter to perform coil embolization of cerebral aneurysms in the posterior cerebral circulation
2014	European Association of Neurosurgical Societies (EANS)	Estimation of Long-term survival according to time-intensity curves of PWI in severe stroke patients treated without any reperfusion therapy for the carotid artery occlusion
2014	European Association of Neurosurgical Societies (EANS)	Feasibility and safety of the transbrachial guide-sheath specifically designed for direct common carotid artery cannulation in carotid artery stenting for the common carotid artery stenosis
2014	European Congress of Radiology (ECR)	Transbrachial approach as a first access route for neurointervention
2014	European Stroke Conference (ESC)	320 Impact of onset-to-puncture time on clinical outcome in acute ischemic stroke patients with ICA or proximal MCA occlusion
2014	European Stroke Conference (ESC)	Acute stroke rapid imaging protocol by 320-row Area Detector CT
	ı	1

2014	European Stroke Conference (ESC)	Anatomical features of the vertebral artery for transbrachial direct cannulation of a guiding catheter to perform coil embolization of cerebral aneurysms in the posterior cerebral circulation
2014	European Stroke Conference (ESC)	Blood sampling oxygen extraction fraction as predictors of cerebral hyperperfusion syndrome following elective carotid artery stenting
2014	European Stroke Conference (ESC)	Feasibility of the transbrachial guide-sheath specifically designed for direct common carotid artery cannulation in carotid artery stenting
2014	European Stroke Conference (ESC)	Impacts of statin use on neurological severity at the onset of atherothrombotic stroke
2014	European Stroke Conference (ESC)	Inhospital survival following conservative therapy in severe acute stroke patients within 3 hours of onset due to severe hyperperfusion in the middle cerebral artery territory displayed by MR perfusion study
2014	European Stroke Conference (ESC)	Long-term clinical outcome following joint intensive treatment of emergency stroke and comprehensive rehabilitation centers in severe intracerebral hemorrhage patients
2014	European Stroke Conference (ESC)	Long-term survival probability following conservative therapy according to simple time-intensity curve's types of perfusion-weighted images in severe stroke patients due to the ipsilateral carotid-middle cerebral artery occlusion
2014	European Stroke Conference (ESC)	Rapid imaging protocol in Acute Stroke by Area Detector CT
2014	European Stroke Conference (ESC)	The effect of cilostazol on preventing angiographic restenosis following elective percutaneous transluminal cerebral balloon angioplasty, serial angiographic investigation of 30 cases
2014	European Stroke Conference (ESC)	Transbrachial approach as a first access route for neurointervention
2014	European Stroke Conference (ESC)	Usefulness of acute stroke imaging with wide area detector CT before endovascular reperfusion therapy in the anterior cerebral circulation
2014	XXth Symposium Neuroradiologicum (WFNRS)	The Effect of Cilostazol against the Cerebral Artery Restenosis by Pericutaneous Transluminal Cranial Balloon Angioplasty (PTCBA)
2014	XXth Symposium Neuroradiologicum (WFNRS)	Transbrachial Approach as a First Access Route for Neurointervention
2014	XXth Symposium Neuroradiologicum (WFNRS)	Usefulness of Acute Stroke Imaging with Wide Area Detector CT Before Endovascular Reperfusion Therapy in the Anterior Cerebral Circulation
2013	37th European Society of Neuroradiology (ESNR)	Simple and easy way using time-intensity curve of perfusion-weighted images to find salvageable penumbra in stroke patients within 3,5 hours of the onset due to the carotid and middle cerebral artery occlusion
2013	Amrican Society of Neuroradiology (ASNR)	The relationship between DWI-ASPECTS before endovascular reperfusion therapy and 90-day clinical outcome in acute ischemic stroke patients
2013	Amrican Society of Neuroradiology (ASNR)	Comparison of 4D CT Angiography with MR Angiography in Acute Ischemic Stroke patients with Probable Internal Carotid Artery Occlusion
2013	Amrican Society of Neuroradiology (ASNR)	Computed Tomography Perfusion Parameter to Predict Cerebral Hyperperfusion Phenomenon following Carotid Artery Stenting
2013	Amrican Society of Neuroradiology (ASNR)	Relationship between Diffusion-Weighted Imaging-ASPETCS before Endovascular Reperfusion Therapy and 90-Day Clinical Outcome in Acute Ischemic Stroke Patients
2013	Amrican Society of Neuroradiology (ASNR)	Simple and Easy Way Using Time-Intensity Curve of Perfusion-Weighted Images to Find Penumbra in Stroke Patients within Twelve Hours of Onset Due to the Carotid Artery Occlusion
2013	Amrican Society of Neuroradiology (ASNR)	Transbrachial Coil Embolization of Cerebral Aneurysms in the Anterior Cerebral Circulation with a Novel Sheath Guide for Transbrachial Carotid Cannulation
2013	ASA International stroke Conference	Blood sampling oxygen extraction fraction as predictors of hyperperfusion phenomenon following carotid artery stenting
2013	ASA International stroke Conference	Computed Tomography Perfusion Parameter to Predict Cerebral Hyperperfusion Phenomenon Following Carotid Artery Stenting
2013	ASA International stroke Conference	Determinants for One-Year Angiographic In-stent Restenosis After Elective Carotid Artery Stenting
2013	ASA International stroke Conference	Simple and Easy Way Using Time-Intensity Curve of Perfusion-Weighted Images to Find Penumbra In Stroke Patients Within 45 hours of Onset Due to the Carotid Artery Occlusion
2013	ASA International stroke Conference	The Appropriate Body Position During Nasal-gastric Tube Feeding to Prevent the Aspiration Pneumonia in Accute Stroke Patients
2013	ASA International stroke Conference	Where should we direct our efforts among a few in-hospital steps from ER arrival to achieve faster recanalization in acute ischemic stroke?
2013	European Congress of Radiology (ECR)	Simple and easy way using time-intensity curve of perfusion-weighted images to find penumbra in stroke patients within 4,5 hours of onset due to the carotid artery occlusion
2013	European Stroke Conference (ESC)	Anatomical features of the vertebral artery for transbrachial direct cannulation of a guiding catheter to perform coil embolization of cerebral aneurysms in the posterior cerebral circulation

2013	European Stroke Conference (ESC)	Blood sampling oxygen extraction fraction as predictors of hyperperfusion phenomenon following carotid artery stenting
2013	European Stroke Conference (ESC)	Clinical outcome following DWI/MRA-based intravenous rt-PA in acute ischemic stroke patients
2013	European Stroke Conference (ESC)	Comparison of PEPTAMEN AF®(high-protein enteral formula) with MEIN® (normal-protein enteral formula) in severe acute stroke patients requiring tube feeding
2013	European Stroke Conference (ESC)	Computed tomography perfusion parameter to predict cerebral hyperperfusion phenomenon following carotid artery stenting
2013	European Stroke Conference (ESC)	Determinants of In-stent Restenosis After Elective Carotid Artery Stenting
2013	European Stroke Conference (ESC)	Neurological characteristics of acute stroke patients who accidentally fall during hospitalization
2013	European Stroke Conference (ESC)	Simple and easy way using time intensity curve of perfusion-weighted images to find salvageable penumbra in stroke patients within 12 hours of onset due to the carotid artery occlusion
2013	European Stroke Conference (ESC)	Utility of time-intensity curve of perfusion-weighted images to find acute stroke patients in whom endovascular reperfusion therapy can improve their long-term clinical outcome
2013	European Stroke Conference (ESC)	Where should we direct our efforts among a few in-hospital steps from ER arrival to achieve faster recannalization in acute ischemic stroke?
2013	World federation of neurosurgical societies (WFNS)	Anatomical features of the vertebral artery for transbrachial direct cannulation of a guiding catheter to perform coil embolization of cerebral aneurysms in the posterior cerebral circulation
2012	9th Karolinska Stroke Update Conference	Initial experience of a novel sheath guide for transbrachial coil embolization of cerebral aneurysms in the anterior cerebral circulation
2012	ASA International Stroke Conference	Comparison of Four-dimensional CT Angiography(4D-CTA) with MRA in Acute Ischemic Stroke Patients with Probable Internal Carotid Artery Occlusion