

論文(筆頭・共著・研究グループ)

| | Title | Journal | Year; Volume:Pages |
|---|--|---|--------------------|
| # | Abstract TMP98: Pre-Stroke Use of Blood-Brain Barrier Crossing Angiotensin Receptor Blockers in Elderly Patients Mitigates Neurological Severity at the Onset of Acute Stroke | Stroke | 2024;55:ATMP98 |
| # | Abstract P598: Highly Purified Eicosapentaenoic Acid Use Can Reduce Neurological Severity at the Onset of Ischemic Stroke in Patients With Hyperlipidemia | Circulation | 2023;147:AP598 |
| # | Pre-Stroke Loop Diuretics and Anemia in Elderly Patients Are Associated Factors of Severe Renal Dysfunction at the Time of Acute Stroke Onset | Journal of Cardiovascular Development and Disease | 2023;10 |
| # | Stroke Risk in Patients with Suspected Transient Ischemic Attacks with Focal and Nonfocal Symptoms: A Prospective Study | Journal of stroke and cerebrovascular diseases | 2022;31:106185 |
| # | Reduced magnetic resonance angiography signal intensity in the middle cerebral artery ipsilateral to severe carotid stenosis may be a practical index of high oxygen extraction fraction | European Radiology | 2022;32:2023-2029 |
| # | Independent factors affecting hemorrhagic and ischemic stroke in patients aged 40-69 years: a cross-sectional study | BMC Cardiovasc Disord | 2022;22:189 |
| # | Non-alcoholic fatty liver disease frequency and associated factors at admission of acute stroke | Hepatology International | 2022;16:81-88 |
| # | Abstract 9448: Pre-Stroke Statin Use is Associated With Mild Neurological Symptoms at the Onset of Acute Ischemic Stroke | Circulation | 2022;146:A9448 |
| # | Pre-Stroke Statin Use Is Associated with Mild Neurological Deficits at the Onset of Acute Ischemic Stroke | Journal of Cardiovascular Development and Disease | 2022;9 |
| # | Cut-Out Towne-View Whole-Brain 320-Row Four-Dimensional Computed Tomography Angiography for Assessing the Anterior Intracranial Collateral Status: A Retrospective Study | Diagnostics | 2022;12 |
| # | Postcontrast CT to Estimate Arteriosclerotic Stenosis at the Site of Occlusion before Emergency Endovascular Treatment for Vertebral-Basilar Artery Occlusion | Journal of Neuroendovascular Therapy | 2021;15:77-85 |
| # | Thoraco-Cervical Computed Tomographic Angiography to Determine an Appropriate Access Route for Mechanical Thrombectomy | Journal of Neuroendovascular Therapy | 2021;15:772-777 |
| # | Safety and Effectiveness of Sodium-Glucose Cotransporter 2 Inhibitor Combined with Medical Nutrition Therapy for Hyperglycemia in Acute Stroke: A Retrospective Study | Metabolites | 2021;12:25 |
| # | Intentional stent-stenosis to prevent hyperperfusion syndrome after carotid artery stenting for extremely high- grade stenosis | American Journal of Neuroradiology | 2021;42:132-37 |
| # | Frequency of deep vein thrombosis at admission for acute stroke and associated factors: a cross-sectional study | Thromb J | 2021;19:62 |
| # | Collateral status evaluation coupled with time window by dynamic axial computed tomographic angiography with a focus on the middle cerebral artery for mechanical thrombectomy | BMC neurology | 2021;21:230 |
| # | Abstract 10943: Deep Vein Thrombosis Frequency at Acute Stroke Admission | Circulation | 2021;144:A10943 |

| | | | |
|---|---|-----------------------|-------------------------|
| # | Signal Intensity in the Middle Cerebral Artery as a Practical and Feasible Index of Hemodynamic Insufficiency Due to Carotid Artery Stenosis | Stroke | 2021;52:P509 |
| # | Appropriate head position for four-dimensional axial CT angiography using an 80-row CT scanner with 4 cm-coverage for acute ischaemic stroke thrombectomy | ECR | 2020:C-05684 |
| # | Abstract WP471: Significant Factors for Early Independent Toilet Activities in Acute Stroke Patients | Stroke | 2020;51:AWP471 |
| # | Features of Serum Fatty Acids at Acute Ischemic Stroke Onset in Statin-Treated Patients with Hypercholesterolemia | Nutrients | 2020;12 |
| # | Association of Serum Fatty Acids at Admission with the Age of Onset of Intracerebral Hemorrhage | Nutrients | 2020;12:2903 |
| # | Association of Serum Fatty Acids at Admission with the Age of Onset of Acute Ischemic Stroke | Nutrients | 2020;12:2411 |
| # | Effect of Chocolate Containing 86% Cacao and Much Polyphenol to Improve Level of Alertness in Acute Stroke Patients | Stroke | 2020;51:AWP465 |
| # | Safety and Effect of Medium-Chain Triglycerides Oil to Prevent Deterioration of Nutritional Status in Acute Stroke Patients With Severe Renal dysfunction | Stroke | 2020;51:AWP457 |
| # | Prevalence and Associated Metabolic Factors of Non-Alcoholic Fatty Liver Disease in Middle and Young-Old-Aged Acute Stroke Patients | Stroke | 2020;51:AWP231 |
| # | Rapid and Appropriate Evaluation of Collateral Development by Four-Dimensional CT Angiography Covering Only 4-cm Width With a Focus on the Intracranial Internal Carotid Artery and the Middle Cerebral Artery to Identify Candidates of Thrombectomy | Stroke | 2020;51:ATP93 |
| # | Association of serum fatty acids with age at the onset of acute ischemic stroke in patients aged 50 years or older | Circulation | 2020;142:Abstract 13690 |
| # | Rapid Evaluation Of Collateral Development By Time Sequential CT Angiography Covering 4-cm Width To Identify Candidates Of Thrombectomy | ECR | 2020:C-04366 |
| # | Serum Fatty Acids Concentrations and Compositions, Lipids Concentrations and Their Correlation in Acute Ischemic Stroke Patients Aged 50 Years or Older | Circulation | 2020;141:P491 |
| # | Prevalence and Independent Metabolic Factors of Non-alcoholic Fatty Liver Disease in Acute Stroke Patients Aged 40-79 Years | Circulation | 2020;141:P279 |
| # | Features of serum fatty acids in acute ischaemic stroke patients aged 50 years or older | BMC Cardiovasc Disord | 2020;20:122 |
| # | A practical protocol for shortening reconstruction time of volumetric data and imaging bilateral middle cerebral arteries for thrombectomy in acute ischemic stroke using an 80-row computed tomography scanner | Neuroradiology | 2020;62:97-100 |
| # | Computed tomography angiographic anatomical features for successful transbrachial insertion of a balloon guide catheter for mechanical thrombectomy in acute ischemic stroke | Brain Circ | 2020, 30;6:169-174. |
| # | Long-term Clinical Outcomes of Elective Carotid Artery Stenting in Patients Undergoing Maintenance Hemodialysis | Intern Med | 2020;59:479-483 |
| # | Abstract TP380: Significant Factors of Early Independent Gait in Acute Ischemic Stroke Patients | Stroke | 2020;51:ATP380 |
| # | Abstract WP434: Incidence of Deep Venous Thrombosis Following Endovascular Revascularization via the Femoral Artery Due to Acute Ischemic Stroke | Stroke | 2020;51:AWP434 |

| | | | |
|---|---|--|--------------------|
| # | A novel and logical strategy for prevention of hyperperfusion syndrome; Intentional residual stenosis after carotid artery stenting of an extremely high-grade stenosis | Stroke | 2019;50:ATP156 |
| # | Rapid Improvement of Malnutrition Following Treatment by Leucine-Enhanced Branched Chain Amino Acid in Severe Acute Stroke Patients Fed With Enteral Nutrition | Stroke | 2019;50:ATP481 |
| # | Prevalence and Associated Metabolic Factors of Non-alcoholic Fatty Liver Disease in Acute Stroke Patients Aged 40-79Years | Circulation | 2019;140:A11713 |
| # | B-0949 Novel rapid imaging protocol of the bilateral MCA territories for thrombectomy in acute ischaemic stroke by old-model 320-row area detector CT | Insights Imaging | 2019:SS1017 |
| # | Low cerebral blood flow grade based on dynamic magnetic resonance imaging predicts neurological deterioration in patients treated without thrombectomy because of low NIHSS score despite the carotid or middle cerebral artery occlusion | Stroke | 2019;50:ATP96 |
| # | E-127 Feasibility of transbrachial carotid cannulation of a particular long guide-sheath in emergency thrombectomy for acute ischemic stroke in the anterior cerebral circulation | Journal of neurointerventional surgery | 2018-SNIS.203 |
| # | Rapid imaging protocol of the bilateral MCA territories in acute stroke by 80 row area detector CT | Neuroradiology | 2018;60:487 1-P23 |
| # | Rapid Imaging Protocol of the Bilateral MCA Territories for Thrombectomy in Acute Ischemic Stroke by 80-Row Area Detector CT | RSNA | 2018:ER222-SD-WEA1 |
| # | Effectiveness and safety of luseogliflozin, sodium-glucose cotransporter2 inhibitor, to treat hyperglycemia in an acute stroke stage | Stroke | 2018;49:ATP368 |
| # | Serum fatty acids and ischemic stroke subtypes in middle- and late-onset acute stroke patients | Clinical Nutrition Experimental | 2018:19-29 |
| # | [Continuous Blood Glucose Monitoring of Hyperglycemia in Acute Stroke Patients Receiving Enteral Tube Feeding] | Brain and nerve | 2018;70:849-855 |
| # | Impaired Brachial Flow-Mediated Dilatation May Predict Symptomatic Intracranial Arterial Dissections | Journal of stroke and cerebrovascular diseases | 2018;27:2691-2695 |
| # | Measurement of oxygen extraction fraction by blood sampling to estimate severe cerebral hemodynamic failure and anticipate cerebral hyperperfusion syndrome following carotid artery stenting | Journal of neurointerventional surgery | 2018;10:1063-1066 |
| # | Elective carotid artery stenting for high signal lesions on MR black blood images | Journal of neurointerventional surgery | 2017;9:E-096 |
| # | Influence of Statins on LDL- and HDL-Cholesterol and Plasma Fatty Acids in Elderly Japanese Ischemic Stroke Patients | Austin J Cerebrovasc Dis & Stroke | 2017;4:1062 - 1064 |
| # | Safe and Quick Control of Hyperglycemia with Luseogliflozin in Case of High-Dose Intensive Insulin User in an Acute Ischemic Stroke Stage: A Case Report | Austin J Cerebrovasc Dis & Stroke | 2017;4:1066 |
| # | Implementation of a Community-Based Triage for Patients with Suspected Transient Ischemic Attack or Minor Stroke Study: A Prospective Multicenter Observational Study | Journal of stroke and cerebrovascular diseases | 2016;25:745-51 |
| # | Utility of transbrachial coil embolization of cerebral aneurysms in the anterior cerebral circulation | Neuroradiology | 2016;58:S25 |
| # | Angiographic anatomical features for transbrachial carotid cannulation of a balloon-guide catheter | Journal of neurointerventional surgery | 2016;8:A83 |

| | | | |
|---|--|--|---------------------------------|
| # | Long-term Survival According to CBF Grade of MR Perfusion in Acute Stroke Patients With the Carotid Artery Occlusion | Stroke | 2016;47:AWP59 |
| # | Angiographic Anatomical Features for Transbrachial Carotid Cannulation of a Balloon-Guide Catheter | Journal of neurointerventional surgery | 2016;8:E-079 |
| # | Continuous daily use of cilostazol prevents in-stent restenosis following carotid artery stenting: serial angiographic investigation of 229 lesions | Journal of neurointerventional surgery | 2016;8:471-5 |
| # | Global oxygen extraction fraction by blood sampling to anticipate cerebral hyperperfusion syndrome following carotid artery stenting | Stroke | 2015;46:ATP103 |
| # | [Spontaneous Dilatation of Carotid Artery Stents Three Months after the Procedure, without the Need for Post-CAS Balloon Dilatation] | No Shinkei Geka Neurological Surgery | 2015;43:1019-25 |
| # | Spontaneous dilatation of stents at three months after carotid artery stenting without post-carotid artery stenting balloon dilatation | Stroke | 2015;47:AWP17 |
| # | Utilization of Blood Sampling Global Oxygen Extraction Fraction and SPECT to Anticipate Cerebral Hyperperfusion Syndrome Following Elective Carotid Artery Stenting | Stroke | 2015;46:AWP115 |
| # | Utilization of blood sampling global oxygen extraction fraction to anticipate cerebral hyperperfusion syndrome following elective carotid artery stenting | Journal of neurointerventional surgery | 2015;7:A7 |
| # | Abstract W P33: Long-term Survival and Outcome Anticipation Based on Simple Grading of MR Perfusion in Severe Stroke Patients Due to the Carotid-Middle Cerebral Artery Occlusion | Stroke | 2015;46:AWP33-AWP33 |
| # | [Usefulness of a Transbrachial Guide Sheath Specifically Designed for Direct Common Carotid Artery Cannulation in Common Carotid Artery Stenting] | No Shinkei Geka Neurological Surgery | 2015;43:913-8 |
| # | Impaired Brachial Flow-mediated Dilatation in Patients With Symptomatic Nontraumatic Intracranial Arterial Dissections | Stroke | 2014;45:ATP171 |
| # | Transbrachial approach as a first access route for neurointervention | European radiology | 2014;ECR2014:C-1619 |
| # | Rapid imaging protocol in acute stroke by area detector CT | ECR | 2014:C-1699 |
| # | Global oxygen extraction fraction by blood sampling to anticipate cerebral hyperperfusion phenomenon after carotid artery stenting | Neurosurgery | 2014;75:546-551; discussion 551 |
| # | Abstract TP152: Computed Tomography Perfusion Parameter to Predict Cerebral Hyperperfusion Phenomenon Following Carotid Artery Stenting | Stroke | 2013;44:ATP152-ATP152 |
| # | Abstract WP325: The Appropriate Body Position During Nasal-gastric Tube Feeding To Prevent The Aspiration Pneumonia In Acute Stroke Patients | Stroke | 2013;44:AWP325-AWP325 |
| # | Abstract TP53: Simple And Easy Way Using Time-Intensity Curve of Perfusion-Weighted Images to Find Penumbra In Stroke Patients Within 4.5 Hours Of Onset Due To The Carotid Artery Occlusion | Stroke | 2013;44:ATP53-ATP53 |
| # | Abstract WP14: Where Should We Direct Our Efforts Among A Few In-hospital Steps From ER Arrival To Achieve Faster Recanalization In Acute Ischemic Stroke? | Stroke | 2013;44:AWP14-AWP14 |
| # | Initial experience of a novel sheath guide for transbrachial coil embolization of cerebral aneurysms in the anterior cerebral circulation | Neurosurgery | 2013;72:15-9; discussion 19-20 |
| # | Repeated injection of contrast medium inducing dysfunction of the blood-brain barrier: case report | Neurologia Medico-Chirurgica (Tokyo) | 2013;53:34-6 |

| | | | |
|---|--|---|----------------------------------|
| # | Abstract WP128: Blood Sampling Oxygen Extraction Fraction As Predictors Of Hyperperfusion Phenomenon Following Carotid Artery Stenting | Stroke | 2013;44:AWP128-AWP128 |
| # | Abstract 2427: Significance of Susceptibility Vessel Sign on T2 Star Weighted-images to Predict Clinical Outcome following Emergency Endovascular Treatment in Patients with Probable Acute Embolic Basilar Artery Occlusion | Stroke | 2012;43:A2427-A2427 |
| # | Abstract 2428: Nutritional Predictors Of Long-term Clinical Outcome In Patients Fed Through A Gastro-intestinal Tube Following Serious Acute Stroke | Stroke | 2012;43:A2428-A2428 |
| # | Abstract 2632: The Relationship Between MRI/PWI-Time Intensity Curve And 3-month Clinical Outcome Of The Acute Ischemic Patients Who Underwent Endovascular Reperfusion Therapy For IC Or MCA Occlusion | Stroke | 2012;43:A2632-A2632 |
| # | Abstract 2859: Comparison Of Four-dimensional Ct Angiography (4d-cta) With Mra In Acute Ischemic Stroke Patients With Probable Internal Carotid Artery Occlusion | Stroke | 2012;43:A2859-A2859 |
| # | Abstract 2847: The Feasibility, Efficacy And Safety Of Transbrachial Approach For Carotid Artery Stenting | Stroke | 2012;43:A2847-A2847 |
| # | Long-term angiographic and clinical outcome following stenting by flow reversal technique for chronic occlusions older than 3 months of the cervical carotid or vertebral artery | Neurosurgery | 2012;70:82-90; discussion 90 |
| # | Endovascular Interventions for Patients With Serious Symptoms Caused by Embolic Carotid T Occlusion | Neurologia Medico-Chirurgica (Tokyo) | 2011;51:282-288 |
| # | Predictors of hyperperfusion syndrome before and immediately after carotid artery stenting in single-photon emission computed tomography and transcranial color-coded real-time sonography studies | Neurosurgery | 2011;68:649-55; discussion 655-6 |
| # | Long-term angiographic and clinical outcome following stenting by flow reversal technique for chronic occlusions older than 3 months of the cervical carotid or vertebral artery | Neurosurgery | 2012; 70:82-90 |
| # | MR imaging-based localized intra-arterial thrombolysis assisted by mechanical clot disruption for acute ischemic stroke due to middle cerebral artery occlusion | American Journal of Neuroradiology | 2011;32:748-52 |
| # | Clinical Outcome After Intensive Rehabilitation Following Acute Treatment and Management in Stroke Centers and Significant Variables for Returning to Previous Home Life. | Stroke | 2010;41:e358, P408. |
| # | Distal migration of a floating carotid thrombus in a patient using oral contraceptives: a case report | Journal of medical case reports | 2009;3:8389 |
| # | Abstract P489 Emergency Carotid Artery Stenting For Total Or Near Occlusion With Or Without Proximal Flow Control In Acute Stroke Stage. | Stroke | 2008; 39:688 |
| # | Abstract P125 Short-term Clinical Outcome Following Gastro-intestinal Tube Feeding By Immunonutrition-oriented Or Protein-oriented Food In Acute Stroke Management:Preliminary Results. | Stroke | 2008; 39:600 |
| # | Long-term outcome after elective stent assisted intracranial angioplasty for atherosclerotic occlusive disease | Jpn J Stroke | 2007;29:14-21 |
| # | [Ischemic stroke in a young patient with methylephedrine addiction: a case report] | Rinsho shinkeigaku = Clinical neurology | 2006;46:274-7 |
| # | Successful Stenting Seven Days After Atherothrombotic Occlusion of the Intracranial Internal Carotid Artery | J Endovasc Ther | 2006;13:254-259 |

| | | | |
|---|--|--------------------------------------|-------------------------------|
| # | Stent-grafting for the Large Common Carotid Artery Aneurysm: Case Report | Interventional Neuroradiology | 2006;12:219-20 |
| # | Hyperbaric oxygen combined with intravenous edaravone for treatment of acute embolic stroke: a pilot clinical trial | Neurologia Medico-Chirurgica | 2006;46:373-8; discussion 378 |
| # | Clot removal therapy by aspiration and extraction for acute embolic carotid occlusion | American Journal of Neuroradiology | 2006;27:1521-7 |
| # | Emergency carotid artery stent placement in patients with acute ischemic stroke | American Journal of Neuroradiology | 2005;26:1249-58 |
| # | Successful thrombectomy in acute terminal internal carotid occlusion using a basket type microsnare in conjunction with temporary proximal occlusion: a case report | American Journal of Neuroradiology | 2005;26:1395-8 |
| # | Semiquantitative dynamic computed tomography to predict response to anti-platelet therapy in acute cerebral infarction | Neuroradiology | 2002;44:286-93 |
| # | Short-term arteriographic and clinical outcome after cerebral angioplasty and stenting for intracranial vertebrobasilar and carotid atherosclerotic occlusive disease | American Journal of Neuroradiology | 2000;21:249-54 |
| # | Cerebral angioplasty and stenting for intracranial vertebral atherosclerotic stenosis | American Journal of Neuroradiology | 1999;20:787-9 |
| # | Stenting treatment for intra- and extra-cranial atherosclerotic diseases | Interventional Neuroradiology | 1999;5:51-3 |
| # | Intraventricular hemorrhage after carotid stenting | Journal of endovascular surgery | 1999;6:337-41 |
| # | Follow-up study after intracranial percutaneous transluminal cerebral balloon angioplasty | American Journal of Neuroradiology | 1998;19:1525-33 |
| # | Follow-up study after percutaneous transluminal cerebral angioplasty | European radiology | 1998;8:403-8 |
| # | Follow-up study after intracranial percutaneous transluminal cerebral balloon angioplasty | American Journal of Neuroradiology | 1998;19:1525-33 |
| # | Percutaneous transluminal angioplasty using kissing balloon technique for carotid bifurcation stenoses coupled with the proatlantal intersegmental artery: a case report | Minimally invasive neurosurgery | 1998;41:214-6 |
| # | Follow-up Study after Percutaneous Transluminal Cerebral Angioplasty | Interventional Neuroradiology | 1998;4 Suppl 1:49-52 |
| # | Percutaneous transluminal cerebral angioplasty: serial angiographic follow-up after successful dilatation | Neuroradiology | 1997;39:111-6 |
| # | Carotid and vertebral stenting: preliminary report | Interventional Neuroradiology | 1997;3 Suppl 2:59-61 |
| # | Successful percutaneous transluminal angioplasty of the intracranial vertebral artery 1 month after total occlusion--case report | Neurologia Medico-Chirurgica (Tokyo) | 1994;34:551-4 |
| # | [Predictive factors for in-hospital mortality and delayed mortality following aneurysmal subarachnoid hemorrhage] | No Shinkei Geka | 1993;21:431-5 |
| # | [Three months angiographic follow-up after successful percutaneous transluminal angioplasty] | No Shinkei Geka | 1993;21:141-6 |
| # | Indications, complications, and short-term clinical outcome of percutaneous transvenous mitral commissurotomy | Circulation | 1989;80:782-92 |